

Six Core Elements of Health Care Transition™ 3.0

An Implementation Guide



Transitioning to an Adult Approach to Health Care Without Changing Clinicians

Core Element 5 - Transition to Adult Approach to Care

<i>I. Purpose, Objectives, and Considerations</i>	<i>2</i>
<i>II. Quality Improvement Considerations, Tools, and Measurement</i>	<i>5</i>
<i>III. Sample Self-Care Skills Assessment.....</i>	<i>10</i>
<i>IV. Additional Resources</i>	<i>11</i>

I. Purpose, Objectives, and Considerations

Purpose

Transition to an adult approach to care is the fifth element in the Six Core Elements of Health Care Transition™ (HCT). The clinician should continue to work with the youth/young adult to provide confidential services, assess and strengthen self-care skills, update a plan of care, and update and share a medical summary and emergency care plan with the youth/young adult. *See a sample self-care skills assessment in Section III.*

Objectives

Address any concerns youth/young adult has about transferring to an adult approach to care.

Clarify an adult approach to care (shared decision-making, privacy and consent, access to information), adherence to care, preferred methods of communication, and health literacy needs.

Conduct self-care skills assessment if not recently completed and discuss young adult's needs for self-care and how to use health care services.

Offer education and resources on needed skills identified through the self-care skills assessment.

Review youth/young adult's health priorities as part of their plan of care.

Continue to update and share with youth/young adult their medical summary and emergency care plan.

Considerations

CONTENT

What information does your practice offer youth/young adults in the practice about an adult approach to care?

Below are some questions and ideas to think about.

- *What should be included in an information sheet or discussion to remind youth/young adults about changes in health care at age 18 and what an adult approach to care means for their involvement in their health and health care (for example, changes in privacy and consent)?*
- *What does your practice offer to assist youth/young adults and parents/caregivers to consider if there is a need for supported decision-making and how to begin the legal process, if needed? For more information about resources, see the [National Resource Center for Supported Decision-Making](#) and [The Arc](#).*
- *Does your practice have information for parents/caregivers to remind them that in an adult approach to care they no longer have legal access to their youth/young adult's electronic medical records on the practice's portal, unless there is legal documentation allowing this?*

What information might be considered in assessing self-care skills?

Below are some questions and ideas to think about.

- *Consider the patient population in your practice/system. What HCT skills and knowledge about health care services do they need to learn?*
- *Review existing self-care skills assessments. Decide if you can use an existing self-care skills assessment, if you need to customize one, or if a new self-care skills assessment will need to be developed.*

Continued on next page



- Got Transition’s self-care skills assessment contains two motivational interviewing questions. Consider adding them to your selected self-care skills assessment:
 - How important is it to you to manage your own health care?
 - How confident do you feel about your ability to manage your own health care?
- Have the young adult continue to complete the self-care skills assessment several times during the HCT process as part of routine preventive or chronic care.
- Use the self-care skills assessment both as a discussion tool and to plan for HCT skills-building education.
- It is important to note that self-care skills assessments do not predict HCT success.

PROCESS

What is the process in your practice to demonstrate the change to an adult approach to care at age 18?

Below are some questions and ideas to think about.

- Who will explain how an adult approach to care is different than a pediatric approach to care, highlighting the changes in consent and confidentiality?
- Will your practice have young adults over age 18 sign a HIPAA form (written at an appropriate reading level) if they wish to allow others to be present in their visit or see their health records?
- Who will go over the practice information with the youth/young adult and discuss with them the best way the practice can remind them of their upcoming appointment and the importance of staying connected to the practice and care?
- Who will discuss how the youth/young adult can communicate with their clinician/practice about urgent health questions, medication renewals and making and cancelling appointments?
- Create a written document to describe the clinic approach to implement the process outlined above.
- Educate all team members/staff about the process.

What is the process to implement transition self-care skills assessments?

Below are some questions and ideas to think about.

- If an available self-care skills assessment has been customized or your practice/system has developed its own, check that the reading level is appropriate and do a test with 3-4 young adults in your practice (who will be receiving the self-care skills assessment) of different ages and educational levels to see if they have any difficulty understanding the questions or specific words. If so, make needed changes to the self-care skills assessment and test again.
- Once the self-care skills assessments(s) are ready for use, identify and test the practice’s process for conducting it. Below are some questions and ideas to think about.
 - Identify eligible young adults needing a self-care skills assessment and decide:
 - How often will it be offered? Every year? Every other year?
 - Will it be sent to the young adult before the visit via mail, email, or the electronic medical records (EMR) portal, and will the completed form be brought to the clinic visit?
 - Will it be completed in the clinic at the time of the visit? Will it be completed in a paper form? If yes, determine who will incorporate the completed self-care skills assessment into the medical record.

Continued on next page



- *Who will administer the self-care assessment in the clinic? Will it be completed in the waiting room or while waiting for the clinician in the clinic room?*
- *Who fills out the self-care skills assessment when there is a legal supported decision-making agreement in place?*
- *Will it be completed via a tablet during the visit, and if so, will the results be incorporated into the EMR? Who will assist the young adult to prioritize needed skills-building education?*
- *Who will incorporate the needed skills into an HCT plan of care? (For more information about an HCT plan of care, see the implementation guide for Core Element 4.)*
- *Who will offer the identified needed education?*
- *What materials or online resources are available in the practice for education around the needed skills for the young adult?*
- *Determine how education will be incorporated into follow-up appointments and documented in the medical record.*
- *Create a written document to describe the practice’s process that each eligible patient will follow to complete the self-care skills assessment.*
- *Educate all team members/staff about the process.*

What is the process to update a medical summary and emergency care plan?

Below are some questions and ideas to think about.

- *Who is responsible for updating the medical summary and emergency care plan?*
- *How will the practice share the updated medical summary and emergency care plan with the youth/young adult (i.e., discuss at the visit or send it to the youth/young adult before an annual visit to review during the visit)?*
- *Create a written document to describe the clinic approach to implement the process outlined above.*
- *Educate all team members/staff about the process.*



II. Quality Improvement Considerations, Tools, and Measurement


Quality Improvement Considerations

What should be thought about when forming a team? (See *Successful Teams* in the [QI Primer](#))

- Include a representative from all areas of your practice
- Include a youth/young adult/parent/caregiver whenever possible
- Depending on what you are aiming to improve, consider any ad hoc members you might need (e.g., information services, lab, pharmacy, supply distribution, etc.)
- Schedule meetings or huddles

What is the Model for Improvement?

The Model for Improvement (see *Model for Improvement* in the [QI Primer](#)) is an approach to process improvement, developed by Associates in Process Improvement, which helps teams accelerate the adoption of proven and effective changes. The figure here illustrates the three questions that make up the Model for Improvement. This is a simple but robust model widely used for improvement in many industries, including health care.



Adapted from Langley GL, et al. *The Improvement Guide: A Practical Approach to Enhancing Organizational Performance*, 2nd ed. San Francisco: Jossey-Bass Publishers, 2009.

As you continue to work through this document and the Six Core Elements, you will find that the QI tools and other items below have been customized to each Element for each kind of practice. However, you will find the basic team considerations described above remain the same for most if not all of your QI work.

Quality Improvement Tools

The most important QI tools to guide a team's improvement work include **Tools 1-5** listed below. Using these tools in the following order will increase your chances of success, but teams can make modifications as needed. For more information and examples, see *Tools for Improvement* in the [QI Primer](#).

- **Tool 1: An aim statement** is a fundamental element of this model and answers the question of what you are trying to accomplish.
- **Tool 2: Key driver diagrams** allow teams to visualize the relationship between the project aim and contributing factors, helping them determine key actions necessary to meet this aim.
- **Tool 3: Process flow maps** can help you visualize the steps in your change process.
- **Tool 4: The simplified failure mode and effects analysis** form helps teams recognize what problems might arise in each step of the process and think of possible solutions.
- **Tool 5: Plan-Do-Study-Act (PDSA) cycles** allow teams to trial and learn from their process changes. Using Tools 1-4 before initiating a PDSA cycle helps teams assess root causes before jumping to solutions.



Tool 1: Aim Statement


The aim statement is a written statement that describes the improvement effort and includes the rationale for doing the work, the target population, the time period of the work, and measurable numeric goals. For more information and examples, see *Model for Improvement* in the [QI Primer](#).

Example Aim Statement

We aim to improve care for our youth/young adult patients by ensuring an effective transfer to the adult approach to care within our practice. By [insert date], 90% of patients who have turned 17 will have a discussion about the adult approach to care and 90% of patients 17 – 18 will have a review of their health priorities.

Tool 2: Key Driver Diagram

Key driver diagrams (KDDs) require teams to identify their theories or “key drivers” which lead to outcomes. They help teams see relationships and organize work, especially in complex systems. They are frequently used for analysis, organization, and communication to direct improvement work. For more information and examples, see *Tools for Improvement* in the [QI Primer](#).




Adapted from ST3P UP, a collaborative sponsored by Patient Centered Outcomes Research Institute® (PCORI) Award MCSC-1608-35861 Titled A Comparative Effectiveness of Peer Mentoring Versus Structured Education Based Transition Programming For The Management Of Care Transitions In Emerging Adults With Sickle Cell Disease.




Tool 3: Process Flow Map

A flow map is a visual display of the separate steps in a process placed in sequential order. It is extremely helpful in documenting different views of the same process. It can show the sequence of actions, materials/inputs entering and leaving the process, decision points, and people involved. Flow maps can be used to document steps in the process of either how things are or how things could be. Posting the flow map gives staff an opportunity to clarify the steps in the process and can uncover conflicting understandings. For more information and examples, see *Tools for Improvement* in the [QI Primer](#).



Tool 4: Simplified Failure Mode and Effects Analysis (sFMEA)

Simplified Failure Mode and Effects Analysis (sFMEA) is a proactive method for evaluating a process to identify where and how it might fail and to assess the relative impact of different failures, in order to identify the parts of the process that are most in need of change and help generate ideas to prevent those possible failures. This is a good companion to the flow map – a flow map lets you see the process as it is, and the sFMEA helps you look more closely to identify breakdowns. The example below has a few solutions filled in, to illustrate how teams might start completing an sFMEA. For more information and examples, see *Tools for Improvement* in the [QI Primer](#).



Adapted from the copyrighted Simplified Failure Mode Effects Analysis Worksheet (sFMEA) from Cincinnati Children's Hospital Medical Center. This version of the sFMEA has been modified and has been reprinted with permission.



Tool 5: PDSA Cycles

PDSA cycles are a structured test of a process change. These are meant to be done rapidly, for example one patient, one afternoon, with one doctor. To accelerate learning and improvement, small tests with reflection allow for change ideas to be adapted, adopted, or abandoned easily within busy healthcare settings. Learning to do rapid cycle testing is key to keeping the momentum going; it is not necessary to schedule a full separate meeting, just a quick huddle allows teams to plan the next cycle. For more detailed explanation and a blank form, see *Model for Improvement* in the [QI Primer](#). This effort includes:

- **P**lan the test: who, what, where, when;
- **D**o try the change and observe what happens;
- **S**tudy reflect on what was learned from the test; and
- **A**ct decide next steps based on the reflection.

Examples of Ideas to Test

- Have members of care team discuss adult care approach to care
- Clarify questions about adult approach to care



Adapted from AHEC QI 101, a Quality Improvement course sponsored by Charlotte Area Health Education Center.

Quality Improvement Measurement


This step will sometimes be informal, while other situations will require a more formal process. Tracking your progress can be as simple as using a check sheet for a short period of time or a more formal use of a run chart which displays improvement over time. Specifically, the Current Assessment of HCT Activities or the HCT Process Measurement Tool in the Six Core Elements package can be used by teams to track progress of specific core elements or the overall HCT process. For more information and examples, see *Measuring for Improvement* in the [QI Primer](#).

Example Data Collection Check Sheet

- Ask what number of staff feel confident discussing the transition to an adult care approach to care.
- Ask 17 and 18-year-olds for 1 week what their understanding is of the adult care approach.

	Mon	Tues	Wed	Thurs	Fri
# staff confident discussing transition to adult approach to care					

Data display is important for teams to assess the impact of the changes they are making. In QI, run charts are most often used. Run charts are a dynamic display of data over time. They require no statistical calculations and should be easily understood. Use a clear title. Data points are plotted around a median line. When possible, adding annotations to the chart to explain when certain changes were introduced can make the chart more informative and robust.



Sustain & Spread

For strategies on how to sustain and spread your work, please see Steps 6 and 7 in [How to Implement the Six Core Elements of Health Care Transition](#).



III. Sample Self-Care Skills Assessment

Sample Self-Care Skills Assessment from the Six Core Elements of HCT™

- Sample self-care skills assessment from Got Transition’s “Transitioning to an Adult Approach to Health Care Without Changing Clinicians” (click [here](#))



IV. Additional Resources

- Turning 18: What It Means for Your Health (*click [here](#)*)
- Add your health information into your smartphone (*click [here](#)*)
- System Differences Between Pediatric and Adult Health Care (*click [here](#)*)





Suggested Citation: White P, Schmidt A, Ilango S, Shorr J, Beck D, McManus M. *Six Core Elements of Health Care Transition™ 3.0: An Implementation Guide*. Washington, DC: Got Transition, The National Alliance to Advance Adolescent Health, July 2020.

The Quality Improvement section was created under the auspices of Atrium Health’s Levine Children’s Center for Advancing Pediatric Excellence by Laura Noonan, MD and Sarah Mabus, MLA.

Got Transition® is supported by the Health Resources and Services Administration (HRSA) of the U.S. Department of Health and Human Services (HHS) under grant number, U1TMC31756. The contents are those of the author(s) and do not necessarily represent the official views of, nor an endorsement, by HRSA, HHS, or the U.S. Government.

For more information about our work and available publications, contact our office at info@GotTransition.org.

Copyright © 2020 by Got Transition®. Non-commercial use is permitted but requires attribution to Got Transition for any use, copy or adaption.

THE NATIONAL ALLIANCE TO ADVANCE ADOLESCENT HEALTH
1615 M Street NW, Suite 290, Washington DC 20036 | 202.223.1500
www.GotTransition.org

