

NATIONAL, REGION, AND STATE
HEALTH CARE TRANSITION PERFORMANCE
FOR YOUTH WITH AND WITHOUT
SPECIAL HEALTH CARE NEEDS

The National Survey of Children's Health 2020-2021

National, Region, and State Data, 2020 & 2021 Combined


Percent of youth with and without special health care needs, ages 12 through 17, who received services necessary to make transitions to adult health care.

| | YSHCN | Non-YSHCN |
|----------------------|-------|-----------|
| Overall U.S. | 20.5% | 16.0% |
| Region I | 25.1% | 18.3% |
| Connecticut | 25.4% | 10.4% |
| Maine | 33.8% | 29.6% |
| Massachusetts | 24.2% | 19.3% |
| New Hampshire | 24.2% | 24.5% |
| Rhode Island | 19.9% | 16.9% |
| Vermont | 27.9% | 25.9% |
| Region II | 12.3% | 13.7% |
| New Jersey | 13.4% | 10.4% |
| New York | 11.8% | 15.3% |
| Region III | 24.3% | 15.2% |
| Delaware | 14.4% | 13.9% |
| District of Columbia | 17.6% | 18.2% |
| Maryland | 16.8% | 16.4% |
| Pennsylvania | 29.5% | 15.1% |
| Virginia | 19.5% | 13.0% |
| West Virginia | 35.0% | 23.6% |
| Region IV | 19.2% | 15.9% |
| Alabama | 22.5% | 11.9% |
| Florida | 16.3% | 13.9% |
| Georgia | 14.9% | 14.2% |
| Kentucky | 26.4% | 21.7% |
| Mississippi | 15.4% | 15.1% |
| North Carolina | 20.4% | 19.0% |
| South Carolina | 20.5% | 15.9% |
| Tennessee | 24.2% | 19.8% |

| | YSHCN | Non-YSHCN |
|--------------------|-------|-----------|
| Region V | 26.4% | 20.2% |
| Illinois | 31.0% | 19.1% |
| Indiana | 20.8% | 19.8% |
| Michigan | 20.0% | 19.1% |
| Minnesota | 28.8% | 26.7% |
| Ohio | 27.0% | 17.0% |
| Wisconsin | 34.6% | 25.0% |
| Region VI | 18.7% | 13.6% |
| Arkansas | 20.5% | 13.7% |
| Louisiana | 13.3% | 14.8% |
| New Mexico | 31.3% | 14.5% |
| Oklahoma | 28.9% | 14.2% |
| Texas | 16.9% | 13.4% |
| Region VII | 25.5% | 19.6% |
| Iowa | 32.3% | 25.8% |
| Kansas | 26.3% | 18.4% |
| Missouri | 22.1% | 17.1% |
| Nebraska | 22.0% | 19.8% |
| Region VIII | 23.5% | 19.7% |
| Colorado | 23.2% | 24.4% |
| Montana | 29.6% | 25.1% |
| North Dakota | 27.7% | 26.3% |
| South Dakota | 32.1% | 19.0% |
| Utah | 19.2% | 11.1% |
| Wyoming | 26.9% | 16.1% |
| Region IX | 12.2% | 12.9% |
| Arizona | 14.0% | 10.8% |
| California | 11.6% | 13.5% |
| Hawaii | 21.9% | 15.3% |
| Nevada | 10.4% | 8.3% |
| Region X | 25.4% | 18.9% |
| Alaska | 30.4% | 19.1% |
| Idaho | 23.2% | 23.4% |
| Oregon | 25.7% | 20.0% |
| Washington | 25.3% | 16.9% |

YSHCN = youth with special health care needs

Non-YSHCN = youth without special health care needs

 Please interpret with caution: estimate has a 95% confidence interval width exceeding 20 percentage points or 1.2 times the estimate and may not be reliable.

Data source: 2020-2021 National Survey of Children's Health

Data obtained by Got Transition in December 2022.

Child and Adolescent Health Measurement Initiative. 2020-2021 National Survey of Children's Health (NSCH) data query. Data Resource Center for Child and Adolescent Health supported by the U.S. Department of Health and Human Services, Health Resources and Services Administration (HRSA), Maternal and Child Health Bureau (MCHB). Retrieved 12/19/22 from <http://www.childhealthdata.org/>